

Page 1/14

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

### **SECTION 1: Identification of the substance/mixture and of the company/ undertaking**

- · 1.1 Product identifier
- · Trade name: ACTICIDE MV 14
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against:
- Application of the substance/the mixture: Biocidal product for industrial use.
- · 1.3 Details of the supplier of the safety data sheet:
- Address and telephone number of the supplier: Thor Specialities (UK) LTD. Wincham Avenue Wincham Northwich Cheshire CW9 6GB United Kingdom Phone: (UK) +44 (0) 1606 818800 Fax: (UK) +44 (0) 1606 818801
- Competent person responsible for the Material Safety Data Sheet: Regulatory Department: sds@thor.uk.com
- 1.4 Emergency telephone number: National Poisons Information Service (24 h service): Phone: +44 (0) 844-892-0111 (UK only) Transport Emergency phone number (24 h service): Phone: +49 621 60-43333 - Fax: +49 621 60-92664

# **SECTION 2: Hazards identification**

### · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008 respectively UN GHS

GHS05 corrosion

Skin Corr. 1B	H314 Causes severe skin burns and eye damage.
Eye Dam. 1	H318 Causes serious eye damage.

GHS09 environment

Aquatic Acute 1H400Very toxic to aquatic life.Aquatic Chronic 1H410Very toxic to aquatic life with long lasting effects.

GHS07

Acute Tox. 4	H302	Harmful if swallowed.
Acute Tox. 4	H312	Harmful in contact with skin.
Skin Sens. 1	H317	May cause an allergic skin reaction.

### · Classification system:

The classification of hazardous components in section 3 as toxic by inhalation does not affect the classification of the mixture as there is no risk of inhalation due to the mixture's physical state and the components' low vapor pressure. The classification considers all relevant hazards that might occur at the expected use (CLP-Regulation, chapter 1).



GB



Page 2/14

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

Trade name: ACTICIDE MV 14

(Contd. of page 1)

- 2.2 Label elements
   Labelling according to Regulation (EC) No 1272/2008 respectively UN GHS The product is labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

- Hazard statements
- H302+H312 Harmful if swallowed or in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements
- P273 Avoid release to the environment.
  - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P391 Collect spillage.
- · Supplemental information in terms of art. 25 CLP-Regulation:

As, according to the CLP Regulation (Art. 25) and BPR (Art. 69), the indications on the label have to be clearly legible, it is technically mandatory to link them to the safety data sheet by a QR-code. According to Art. 35 of the REACh Regulation, the safety data sheet has to be provided to any employee.

• a) Identity of every active substance and its concentration in metric units: See product label

- b) Nanomaterials contained in the product: Does not contain any nanomaterial.
- · c) Authorisation number:
- pending

P280

- This biocidal product is subject to the transitional periods of Art. 89 BPR.
- $\cdot$  d) Name and address of the authorisation holder:
- Thor GmbH, Landwehrstraße 1, 67346 Speyer, Germany
- e) Type of formulation: SL, soluble concentrate
- f) Intended or authorized applications:
- Product-type 6: Preservatives for products during storage
- Product-type 6.3.1: Fluids used in paper production
- Subcategory product typ 6.7: Others
- Preservation of polymer dispersions
- Preservation of slurries
- Product-type 11: Preservatives for liquid-cooling and processing systems
- Preservation of liquids used in open recirculating cooling systems
- Preservation of liquids used in closed recirculating cooling systems
- Product-type 12: Slimicides
- Product-type 13: Working or cutting fluid preservatives

(Contd. on page 3)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

Trade name: ACTICIDE MV 14

		td. of page 2)			
	requency of application and dose rate:				
Use level: 0.05-0.25 g/k		<b>T</b> 1			
	required by a specific formulation can be determined by the local	Inor			
Microbiological Technica	al Centre. Jld occur within a closed system. If manual handling operations a				
	pilling shall be prevented. If fast rotating agitators might lead to sp				
	the agitator speed shall be reduced or the machine shall be switc				
during the addition.	the agricular speed shall be reduced of the machine shall be swite				
	ide product can be added at any time during production.				
Further information: see					
	direct or indirect adverse side effects and any directions for	first aid:			
Instructions on first aid s					
	warnings for vulnerable groups:				
A leaflet will not be created because all required information for the industrial user is stated in the					
safety data sheet.					
	fe disposal of the biocidal product and its packaging: See se				
	number or designation and the expiry date relevant to normal				
conditions of storage: See product label					
• I) Further information	where applicable:				
	note instructions concerning decontamination under section 6.3.				
	s to which the biocidal product is restricted: Industrial user				
	nformation on any specific danger to the environment particu	larly			
concerning protection	of non-target organisms and avoidance of contamination of				
See section 12					
• 2.3 Other hazards Other hazards have not been identified for this product.					
SECTION 3: Comp	osition/information on ingredients				
· 3.2 mixtures     · Dangerous componen	te.				
CAS: 7631-99-4	SODIUM NITRATE	10 050/			
EINECS: 231-554-3		10 - 25%			
Reg.nr.: 01-2119488221	♦ Ox. Sol. 2, H272 1-41-0026 ♦ Eye Irrit. 2, H319				
e e		44.40/			
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-	14.1%			
	Index number: 613-167-00-5 one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- Reg.nr.: 01-2120764691-48 3-one [EC no. 220-239-6]				
Reg.m. 01-212070409					
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330				
	Skin Corr. 1B, H314; Eye Dam. 1, H318				

Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=10) () Skin Sens. 1A, H317

### · Additional information:

The CAS No. of the single components are: CIT: 26172-55-4; MIT: 2682-20-4 For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 4)



Page 4/14

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

Trade name: ACTICIDE MV 14

(Contd. of page 3)

# **SECTION 4: First aid measures**

4.1 Description of first aid measures
General information:

Obtain special instructions from the poison information centre: Phone: +44 (0) 844-892-0111 (UK only) - see as well section 1.4.
Personal protection for the First Aider.
After inhalation: Supply fresh air; consult doctor in case of symptoms.
After skin contact
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an eye specialist immediately.

### · After swallowing:

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Bring vomiting person into recovery position.

Do not give anything by mouth to an unconscious person.

# • **4.2 Most important symptoms and effects, both acute and delayed** Allergic skin reactions.

Skin reaction like itching, reddening, blistering may appear after hours. Corrosive damage to gastro-intestinal tract.

Skin contact may lead to painful and bad healing wounds.

- Information for doctor: Probable mucosal damage may contraindicate the use of gastric lavage.
- · Danger Danger of gastric perforation.
- 4.3 Indication of any immediate medical attention and special treatment needed If swallowed, gastric irrigation with activated carbon.

Treat skin and mucous membrane with antihistamine and corticoid preparations. Rinse eyes thoroughly with physiological saline.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents: Water spray jet, extinguishing powder, CO<sub>2</sub>, foam.

· Unsuitable extinguishing agents for reasons of safety: None

 $\begin{array}{l} \cdot \mbox{ 5.2 Special hazards arising from the substance or mixture} \\ \mbox{ In case of fire, toxic incineration products may be released such as:} \\ \mbox{ Nitrogen oxides (NOx)} \\ \mbox{ Carbon monoxide (CO)} \\ \mbox{ Sulphur dioxide (SO_2)} \\ \mbox{ Hydrogen chloride (HCI)} \end{array}$ 

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.

(Contd. on page 5)

GB ·



Page 5/14

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

(Contd. of page 4)

#### Trade name: ACTICIDE MV 14

#### · Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

### **SECTION 6:** Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing (see item 8).

Keep unprotected persons away.

When selecting the protective suit attention has to be paid to the complete and safe protection of skin and mucous membranes. Impermeable protective clothes, protective boots made of neoprene, complete face protection and nitrile-rubber-gloves with long tops should be worn.

#### · 6.2 Environmental precautions:

As the product is hazardous for the aquatic environment, it must be prevented from reaching surface water.

Prevent from spreading (e. g. by enclosing with a ring of chemical absorbent). Inform authorities in case of contamination of water or sewage system.

#### 6.3 Methods and material for containment and cleaning up:

Collect large amounts in suitable container. Cover the rest with absorbent, mix intensively and collect mechanically.

Suitable binder: multi-purpose absorbent.

Dispose of contaminated material as waste according to item 13.

Decontamination: Polluted surfaces can be decontaminated with a solution containing 5% sodium bisulphite and 5% sodium bicarbonate.

In case of a spill drained to the sewer collect contaminated water in suitable container and add 10% sodium bisulfite solution. Contact supplier for further instructions.

· 6.4 Reference to other sections None

### **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Provide good room ventilation or local exhaust ventilation at the workplace.

It is preferable to handle the product in a closed system.

Avoid pollution of the air at the workplace, caused e. g. by aerosol formation or by product heating. Clean contaminated work equipment immediately to avoid skin corrosion/-irritation and/or allergic skin reactions in case of unconscious skin contact.

Risks to the safety and health of workers may not only be created by work involving chemicals but, inter alia by work equipment and the fitting-out of work-places. Those risks shall be identified and evaluated.

· Information about protection against explosion and fire: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Ensure sufficient ventilation. Store only in the original container. Information about suitable materials for vessels and piping can be requested from our sales department Tel.: +44(0)1606 818800.
- · Information about storage in a common storage facility: none

(Contd. on page 6)

GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

Page 6/14

Trade name: ACTICIDE MV 14

(Contd. of page 5) · Further information about storage conditions: The product, as supplied, naturally and very slowly involves carbon dioxide gas. Therefore, to relieve any excess pressure, the product is supplied in specially vented containers which are recommended for the continued storage of the product. In order to prevent spillages, always ensure that these containers are stored and transported in upright position. Prevent release to the environment by adequate secondary containment design and use of appropriate spill control procedures. · Recommended storage temperature: 10-30° C · Sensitivity against UV-radiation and heat: Protect from heat and direct sunlight. · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection**  8.1 Control parameters · Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional information: Information valid at the time of review of safety data sheet. · 8.2 Exposure controls · Technical protective equipment: In case of contamination devices to rinse eyes or skin immediately under running water must be available. · Personal protective equipment · General protective and hygienic measures: Avoid contact with the eyes and the skin. Wash hands during work breaks and at the end of the shift. Use skin cream for skin protection. Provide skin protection plan. Respiratory protection: Use respiratory equipment if the OEL is exceeded. Filter A/P2 (DIN EN 14387) · Protection of hands: Chemical protective gloves according to DIN EN 374 with CE-labelling. Check the condition of protective gloves after each use for any damages like holes, cuts or tears. Do not wear protective gloves longer than necessary. After use of gloves apply skin-cleaning agents and skin cosmetics. · Material of gloves Nitrile rubber, NBR · Penetration time of glove material: Thickness: 0.4 mm; break-through time: 480 min; material: Nitrile; permeation: level 6 Gloves made of the following materials are not suitable: Gloves for mechanical protection do not provide protection against chemicals. · Eye protection: Face shield (visor)

(Contd. on page 7)



Page 7/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

(Contd. of page 6)

Trade name: ACTICIDE MV 14

Use visor in combination with goggle. · Body protection:

Protective clothing.



Full head, face and neck protection

- · Risk management measures
- The operators shall be instructed adequately.
- The workplace shall be inspected regularly by competent personnel e.g. the safety representative.

## **SECTION 9: Physical and chemical properties**

)
)
)
)
)
167).
(
162).
S 4172).



Page 8/14

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

(Contd. of page 7)

#### Trade name: ACTICIDE MV 14

 Viscosity: dynamic at 20 °C: kinematic at 40 °C:

2.62 mPas (OECD 114 - S 3455) 1.41 mm²/s (OECD 114 - S 3455)

9.2 Other information

No further relevant information available.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The classification criteria for the property "Corrosive to metals" according to Annex I section 2.16 CLP Regulation resp. the UN Regulations for the transport of dangerous goods, class 8, are not fulfilled. (S 4362)

For information about suitable materials for vessels and piping see section 7.2 (Requirements to be met by storerooms and containers).

- · 10.2 Chemical stability
- · Conditions to be avoided:

Before handling, the product should not be diluted or mixed with other chemicals, in order to avoid any negative influences on the ingredient(s).

• Minimum shelf life: 18 months from production date, if stored at a temperature of about 20°C.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

· 10.5 Incompatible materials:

Alkalis (lyes) Reducing agents Strong oxidising agents Nucleophils

#### · 10.6 Hazardous decomposition products:

None, if storage and handling is done according to specification.

### **SECTION 11: Toxicological information**

### · 11.1 Information on toxicological effects

· Acute toxicity

Harmful if swallowed or in contact with skin.

Oral	LD₅₀	470 mg/kg (rat) (OECD 401) S 33 (b)
Dermal	LD₅₀	> 1000 mg/kg (rat) (OECD 402) S 31 (b)
	2-meth	on mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] a hyl-2H-isothiazol-3-one [EC no. 220-239-6]
<b>55965-8</b> Oral	2-meth	



Page 9/14

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

(Contd. of page 8)

#### Trade name: ACTICIDE MV 14

#### · Skin corrosion/irritation:

- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation:
- Causes serious eye damage.
- · Sensitisation:
- May cause an allergic skin reaction.

#### · Results of studies:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

Sensitisation OECD 406 (MKA) (Guinea pig) sensitising - S 171

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

S 13 55965-84-9 react 2-me EC₅₀ / 72 h 0.04 S 13 EC₅₀ / 48 h 0.1 S 52	4 mg/l (Pseudokirchneriella subcapitata) (OECD 201) 322 (b) tion mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and ethyl-2H-isothiazol-3-one [EC no. 220-239-6] 48 mg/l (Pseudokirchneriella subcapitata) (OECD 201) 322 mg/l (Daphnia) (OECD 202)
2-met           EC₅₀ / 72 h         0.04           S 13           EC₅₀ / 48 h         0.1           S 52	ethyl-2H-isothiazol-3-one [EC no. 220-239-6] 48 mg/l (Pseudokirchneriella subcapitata) (OECD 201) 322 mg/l (Daphnia) (OECD 202)
EC₅₀ / 48 h 0.1 S 52	322 mg/l (Daphnia) (OECD 202)
S 52	
0.00	
	052 mg/l (Skeletonema costatum) (DIN EN ISO 10253) C opinion
LC₅₀ / 96 h 0.22 S 6	2 mg/l (Onchorhyncus mykiss) (OECD 203)
NOEC / 48 h 0.00 RAG	0064 mg/l (Skeletonema costatum) (DIN EN ISO 10253) C
NOEC / 21 d 0.00 S 52	04 mg/l (Daphnia) (OECD 211) 52
NOEC / 28 d 0.09 S 1 <sup>2</sup>	98 mg/l (Onchorhyncus mykiss) (OECD 210) 17
	012 mg/l (Pseudokirchneriella subcapitata) (OECD 201) 322



Page 10/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

Trade name: ACTICIDE MV 14

Very toxic to aquatic life with long lasting effects.

(Contd. of page 9)

	1 0	0		
· Toxicity on activated sludge organisms:				
55965-84	9 reaction mass of: 5-chlo 2-methyl-2H-isothiazol-3		o-thiazolin-3-one [EC no. 247-500-7] and )-239-6]	
EC₅₀ / 3 h	7.92 mg/l (Activated Sludge) (OECD 209) S 418			
EC <sub>20</sub> / 3 h	0.97 mg/l (Activated Sludge) (OECD 209) S 418			
• Evaluation: Depending on concentration, toxic effects on activated sludge organisms are possible				
	istence and degradability felimination:			
· Rapid deg	gradability of organic sub	stances:		
55965-84-	9 reaction mass of: 5-chlo 2-methyl-2H-isothiazol-3		o-thiazolin-3-one [EC no. 247-500-7] and )-239-6]	
OECD 30	1 D Closed-Bottle-Test		>60 % (Activated Sludge) S 200 (b)	
OECD 30	3 Simulation Biodegradatior	n Aqu Sed System	1.82-1.92 d (half-life) S 617 (CIT)	
· Behaviou		nts: pro-2-methyl-4-is	o-thiazolin-3-one [EC no. 247-500-7] and	
	2-methyl-2H-isothiazol-3			
OECD 302	2 B Zahn-Wellens Test	100 % (Activated S 2387	Sludge)	
OECD 30	3 A: Activated Sludge Units	>80 % (Activated S 199 (b)	Sludge)	
· Evaluatio	n: The substances are biod	egradable/elimina	ble in activated sludge units.	
· 12.3 Bioa	ccumulative potential			
· BCF / Log				
55965-84-	9 reaction mass of: 5-chlo 2-methyl-2H-isothiazol-3		o-thiazolin-3-one [EC no. 247-500-7] and )-239-6]	
Bioconcer	tration factor BCF	3.16 (calculat S 1177	ed)	
OECD 11	7 Log Kow Partition Coeffici	ent ≤0.71 (n-octa S 5	nol/water)	
<ul> <li>Evaluatio</li> </ul>	n: Not worth-mentioning ac	cumulating in orga	anisms	
· 12.4 Mobi	lity in soil No further releva	ant information ava	ailable.	
· 12.5 Resu	Its of PBT and vPvB asse	ssment		
			et the PBT-criteria of REACH, annex XIII.	
· VPVB: Thi	s mixture does not contain s	substances that m	eet the vPvB-criteria of RFACH annex X	

• vPvB: This mixture does not contain substances that meet the vPvB-criteria of REACH, annex XIII.



### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

### Trade name: ACTICIDE MV 14

(Contd. of page 10)

Page 11/14

- · 12.6 Other adverse effects Any other adverse effects on the environment are not expected.
- · 12.7 Additional information
- · Metals and their compounds according Directive 2006/11/EC: None
- European Water Framework Directive 2000/60/EC (WFD) dated 23.10.2000: The product does not contain any priority substances according WFD that require a water monitoring.
- Absorbable organic halogen compounds (AOX DIN EN ISO 9562): Can affect the AOX-value of the effluent water. The active ingredient is not persistent, it is degraded by separation of the chlorine atom. Calculated AOX value: 2.6 %

### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

Recommendation

Must be specially treated as hazardous waste under adherence to official regulations. Appropriate disposal operations according to Directive 2008/98/EC on waste: D 10 Incineration on land

· European	· European waste catalogue		
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST		
16 03 00	off-specification batches and unused products		
16 03 05*	organic wastes containing hazardous substances		
HP 6	Acute Toxicity		
HP 8	Corrosive		
HP 13	Sensitising		
HP 14	Ecotoxic		

### · Contaminated packaging:

· Recommendation:

Packaging can be reused or recycled after cleaning.

Do not allow cleaning liquid to enter into drains. Do not allow to enter into water.

• Recommended cleaning agent: Water, if necessary with cleaning agent.

### **SECTION 14: Transport information**

### · 14.1 UN-Number

· ADR, IMDG, IATA

UN3265

- · 14.2 UN proper shipping name
- · ADR

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]), ENVIRONMENTALLY HAZARDOUS (Contd. on page 12)

page 12)



Page 12/14

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018 Version number 55 Revision: 23.07.2018 Trade name: ACTICIDE MV 14 (Contd. of page 11) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. · IMDG (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]), MARINE POLLUTANT · IATA CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]) · 14.3 Transport hazard class(es) · ADR · Class 8 (C3) Corrosive substances. · Label 8 \_\_\_\_\_ · IMDG · Class 8 Corrosive substances. · Label 8 • IATA · Class 8 Corrosive substances. · Label 8 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: Yes Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Corrosive substances. · Kemler Number: 80 · EMS Number: F-A,S-B · Segregation groups Acids Stowage Category В · Stowage Code SW2 Clear of living quarters. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. (Contd. on page 13) GB



Page 13/14

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

### Trade name: ACTICIDE MV 14

	(Contd. of page 12)
<ul> <li>Transport/Additional information:</li> <li>ADR</li> </ul>	
- ADR - Limited quantities (LQ) - Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IATA Remarks:	It is forbidden to airfreight the package if it is ventilated (IATA-DGR 5.0.2.13.2). For samples up to 1 litre ventilated packages are not required. Packing Instructions / max. net weight: Passenger aircraft: 851 / 1 L; Cargo aircraft: 855 / 30 L
UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (REACTION MASS OF: 5- CHLORO-2-METHYL-4-ISO-THIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H- ISOTHIAZOL-3-ONE [EC NO. 220-239-6]), 8, II, ENVIRONMENTALLY HAZARDOUS

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients are listed.
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3
- · National regulations:

#### · Information about limitation of use:

Take note of Directive 94/33/EC on the protection of young people at work.

- Take note of Directive 92/85/EC on the safety and health of pregnant women at work.
- Regulations which may apply in event of accident: Control of Major Accident Hazards (COMAH)

Critical quantity values according to the regulations on accidents (Seveso Directive) should be adhered to.

- · PCS-no. (IRL): 93756
- · Indication of VOC:
- · VOC according to Directive 2010/75/EC:

This product does not contain relevant amounts of "Volatile Organic Compounds" (VOC).

(Contd. on page 14)

<sup>-</sup> GB



Page 14/14

GB

### Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.07.2018

Version number 55

Revision: 23.07.2018

### Trade name: ACTICIDE MV 14

 • VOC according to Decopaint Directive (2004/42/EC): The product does not contribute significantly to the total content of VOCs in paints and varnishes.
 • SVOC according to EU-Ecolabel for interior and exterior paints (2014/312/EU):

This product does not contain any Semi Volatile Organic Compounds.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This data is based on our current knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship.

#### Relevant phrases

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Training hints

Further information regarding the directions for use can be found in the Product Data Sheet.

#### Classification according to Regulation (EC) No 1272/2008

The classification includes the relevant available information about the mixture or the substances contained therein.

The evaluation of the available information within the scope of classification refers to the forms and aggregate states in which the mixture has been placed on the market and will be used most likely. • Contact for technical information Biocides: info@thor.uk.com

- Abbreviations and acronyms:
- Abbreviations and acronyms:
  Ox. Sol. 2: Oxidizing solids Category 2
  Acute Tox. 3: Acute toxicity Category 3
  Acute Tox. 4: Acute toxicity Category 4
  Acute Tox. 2: Acute toxicity Category 2
  Skin Corr. 1B: Skin corrosion/irritation Category 1B
  Eye Dam. 1: Serious eye damage/eye irritation Category 1
  Eye Irrit. 2: Serious eye damage/eye irritation Category 2
  Skin Sens. 1: Skin sensitisation Category 1
  Skin Sens. 1: Skin sensitisation Category 1
  Aquatic Acute 1: Hazardous to the aquatic environment long-term aquatic hazard Category 1
  Aquatic Chronic 1: Hazardous to the aquatic environment long-term aquatic hazard Category 1
  Key literature references and sources for data:
  Data source(s): Biocidal product dossier(s)
  Own studies (reference to S-number).
  Further information regarding physical-chemical, toxicological and ecotoxicological properties of the substances contained, can be taken from the data set for the substance (http://echa.europa.eu/en/).

 $\cdot$  \* Data altered since the previous version.